



Interactive Digital Signage



DIGITAL SIGNAGE Interactive Digital Signage

NW SERIES



Screen Size	14"/16"/21.5"/23.8"/32"
Panel Type	IPS panel
Resolution	1920*1080 /1920*1200 (16")
Interactive Touch	Capacitive touch screen(14"/16"/21.5")/Incell touch(23.8"/32")
Brightness	250cd/m2
View Angle	85/85/85/85(L/R/U/D), 89/89/89/89(L/R/U/D)
Contrast Ratio	700:1 (14")/1000:1(16"/23.8") / 3000:1(21.5"/32")
Aspect Ratio	16:9 /16:10
Camera	External USB type camera 8.0MP
Chipset	RK3399 Dual core cortex A72+Quad core cortex A53
System Memory	RK3588S2 Quad core cortex A55+Quad core cortex A76
Flash Memory	2GB / 4GB
OS	16GB / 32GB
Communication	Android 12/Android 13
Input/Output	Wi-Fi 802.11b/g/n/a/ac ,Bluetooth 5.4
VESA Mount	WiFi 802.11b/g/n/a/ac/ax (wifi 6),with Mu-MIMO standard
Speaker	Bluetooth 5.3
Power Input	DC power input,Type_C,USB Host*2,HDMI IN,RJ45
Color	100x100mm
Product Size (LxWxH)	4Ω*3W*2
	12V/2A, 12V/3A, 12V/4A, 12V/5A
	Black/White/Customized Color
	336.22x209.32x27.6mm/ 370.8x248.3x28.1mm/ 512.8x308.9x33.5mm
	549.7x335.7x27.8mm / 733.4x432x37mm



DIGITAL SIGNAGE

Ultra-narrow Bezel Intelligent Digital Signage

Wooden Frame Series / Iron Suction Frame Series

WF SERIES




Screen Size	15.6"/21.5"/23.8"/32"
Panel Type	IPS panel
Resolution	1920*1080
Interactive Touch	10-Point capacitive touch
Brightness	300cd/m2
View Angle	85/85/85/85(L/R/U/D) , 89/89/89/89(L/R/U/D)
Contrast Ratio	700:1(15.6") / 3000:1(21.5") / 1000:1(23.8"/32")
Aspect Ratio	16:9
Camera	MIPI 8.0MP Camera
Chipset	RK3576 Quad core cortex A53+Quad core cortex A72 RK3588S2 Quad core cortex A55+Quad core cortex A76 RK3568 Quad core cortex A55
System Memory	4GB
Flash Memory	32GB
OS	Android 13 (RK3588S2) /Android14 (RK3568/ RK3576)
Communication	WiFi IEEE 802.11b/g/n/a/ac/ax (Wi-Fi 6) with Mu-MIMO standard,Bluetooth 5.3 WiFi IEEE 802.11b/g/n/a/ac,Bluetooth 5.4
Input/Output	Power Jack,RJ45,USB 2.0/USB 3.0 HOST,Type_C HDMI IN, Microphone hole,DC power input
VESA Mount	75x75mm
Speaker	4Ω*5W*2
Power Input	12V/2A, 12V/3A, 12V/5A
Color	Black/White/Customized Color
Product Size (LxWxH)	370x227.65x23.5mm / 506.97x305.47x32.2mm 552.07x333.09x29mm / 735.6x436.2x36.5mm

Screen Size	15.6"/21.5"/23.8"/32"
Panel Type	IPS panel
Resolution	1920*1080
Interactive Touch	10-Point capacitive touch
Brightness	300cd/m2
View Angle	85/85/85/85(L/R/U/D) , 89/89/89/89(L/R/U/D)
Contrast Ratio	700:1(15.6") / 3000:1(21.5") / 1000:1(23.8"/32")
Aspect Ratio	16:9
Camera	MIPI 8.0MP Camera
Chipset	RK3576 Quad core cortex A53+Quad core cortex A72 RK3588S2 Quad core cortex A55+Quad core cortex A76 RK3568 Quad core cortex A55
System Memory	4GB
Flash Memory	32GB
OS	Android 13 (RK3588S2) /Android14 (RK3568/ RK3576)
Communication	WiFi IEEE 802.11b/g/n/a/ac/ax (Wi-Fi 6) with Mu-MIMO standard,Bluetooth 5.3 WiFi IEEE 802.11b/g/n/a/ac,Bluetooth 5.4
Input/Output	Power Jack , RJ45, USB 2.0/USB 3.0 HOST,Type_C HDMI IN, Microphone hole,DC power input
VESA Mount	75x75mm / /100x100
Speaker	4Ω*5W*2
Power Input	12V/2A, 12V/3A, 12V/5A
Color	Wood grain/customizable color
Product Size (LxWxH)	418.06x267.53x30.55mm / 555.17X346.87X31.6mm 602.6x372.06x32.91mm/ 783.48X477.93x35.4mm

DIGITAL SIGNAGE

Meeting Room Interactive Digital Signage With LED Light Bar

WA SERIES



Screen Size	10.1"/13.3"/15.6"
Panel Type	LCD panel
Resolution	1280*800 / 1920*1080
Interactive Touch	10-Point capacitive touch
Brightness	250 cd/m2
Aspect Ratio	16:10/16:9
Camera	2MP Wide angle
Chipset	RK3288 Quad-core cortex A17 RK3399 Dual-core A72+quad-core A53 RK3566/RK3568 Quad core cortex A55
System Memory	2GB/ Optional 4GB/8GB
Flash Memory	16GB/ Optional 32GB/64GB
OS	RK3288 Android 8.1/10 , RK3399 Android 7.1/9.0/10 RK3566/RK3568 Android 11
Communication	Wi-Fi 802.11b/g/n, Bluetooth 4.2 Wi-Fi 802.11a/b/g/n/ac/ax(WiFi6), Bluetooth 5.2,NFC/RFID(Optional)
Input/Output	DC In,RJ45,Recovery,USB host ,USB serial port,SD Card, 3.5mm earphone ,Micro USB OTG,4G LTE(Optional)
VESA Mount	75x75mm, 100x100mm
Speaker	3W*2
Power Input	12V/1.5A, 12V/2A
Color	Black/White/Customized Color
Product Size (LxWxH)	255.85x175.83x31.7mm / 331.4x31.7x209.8mm/385.12x240x32.2mm




DIGITAL SIGNAGE

Meeting Room Interactive Digital Signage With LED Light Bar

WA SERIES



Screen Size	10.1"/13.3"/15.6"
Panel Type	LCD panel
Resolution	1280*800 / 1920*1080
Interactive Touch	10-Point capacitive touch
Brightness	250 cd/m2
Aspect Ratio	16:10/16:9
Camera	2MP Wide angle
Chipset	RK3288 Quad-core cortex A17 RK3399 Dual-core A72+quad-core A53 RK3566/RK3568 Quad core cortex A55
System Memory	2GB/ Optional 4GB/8GB
Flash Memory	16GB/ Optional 32GB/64GB
OS	RK3288 Android 8.1/10 , RK3399 Android 7.1/9.0/10 RK3566/RK3568 Android 11
Communication	Wi-Fi 802.11b/g/n, Bluetooth 4.2 Wi-Fi 802.11a/b/g/n/ac/ax(WiFi6), Bluetooth 5.2,NFC/RFID(Optional)
Input/Output	DC In,RJ45,Recovery,USB host ,USB serial port,SD Card, 3.5mm earphone ,Micro USB OTG,4G LTE(Optional)
VESA Mount	75x75mm, 100x100mm
Speaker	3W*2
Power Input	12V/1.5A, 12V/2A
Color	Black/White/Customized Color
Product Size (LxWxH)	255.85x175.83x31.7mm / 331.4x31.7x209.8mm/385.12x240x32.2mm



DIGITAL SIGNAGE

Meeting Room Interactive Digital Signage With LED Light Bar

There are lights around

WA SERIES



Screen Size	10.1"
Panel Type	LCD panel
Resolution	1280*800
Interactive Touch	10-Point capacitive touch
Brightness	250 cd/m2
Aspect Ratio	16:10
Camera	2MP Wide angle,5MP Routine angle (WA1022T/No Camera)
Chipset	RK3288 Quad-core cortex A17(WA1022T) RK3399 Dual-core A72+quad-core A53 RK3566 / RK3568 Quad core cortex A55
System Memory	2GB/ Optional 4GB/8GB
Flash Memory	16GB/ Optional 32GB/64GB
OS	RK3288 Android 8.1/10.0 , RK3399 Android 9.0/10/11 RK3566 /RK3568 Android 11
Communication	Wi-Fi 802.11b/g/n, Bluetooth 4.2 Wi-Fi 802.11a/b/g/n/ac/ax(WiFi6), Bluetooth 5.2, NFC/RFID(Optional)
Input/Output	DC In,RJ45,Recovery,USB host ,USB serial port, 3.5mm Audio Jack Output,Micro USB OTG,SD Card
VESA Mount	75*75 mm
Speaker	2x2W (WA1022T/No Speaker)
Power Input	12V/1.5A
Color	Black/White/Customized Color
Product Size (LxWxH)	249.36X168.36X24mm / 275.36x25x170.36mm

8"/10.1"/13.3"/15.6"

LCD panel

1280*800 / 1920*1080

5/10-Point capacitive touch

250 cd/m2

16:9/16:10

5MP Routine angle

RK3288 Quad-core cortex A17 , RK3568 Quad core cortex A55

RK3399 Dual-core A72+quad-core A53

RK3566/RK3568 Quad core cortex A55

2GB/ Optional 4GB/8GB

16GB/ Optional 32GB/64GB

RK3288 Android 8.1/10 , RK3399 Android 9.0/10/11

RK3566/RK3568/RK3568 Android 11

Wi-Fi 802.11b/g/n, Bluetooth 4.2

Wi-Fi 802.11a/b/g/n/ac/ax (WiFi6), Bluetooth 5.2, NFC/RFID(Optional)

DC In, Micro USB OTG, RJ45, USB host ,Serial port,
3.5mm Audio Jack Output, SD Card Slot, 4G LTE(Optional)

75x75mm / 100x100mm

2x3W / 2x2W

12V/2A / 12V/1.5A

Black/White/Customized Color

212.6x148x21.9mm/259.36x178.36x28mm/333x225x28.5mm / 397.4x256.4x28.5mm


DIGITAL SIGNAGE

Smart Home Control Panel

SMT SERIES



Screen Size	9.7"/10.1"/15.6"
Panel Type	LCD panel
Resolution	2048*1536 / 1280*800 / 1920*1080
Interactive Touch	10-Point capacitive touch
Brightness	250 cd/m2, 300 cd/m2
Aspect Ratio	4:3 / 16:10 / 16:9
Camera	5MP from a conventional perspective
Microphone	Four microphones
Chipset	RK3566 Quad core cortex A55
System Memory	4GB
Flash Memory	32GB/ Optional 64GB
OS	Android 13
Communication	802.11a/b/g/n/ac/ax (WiFi 6) , Bluetooth 5.3
Input/Output	DC In,RJ45,Type-C,Relay port,RS-232 Serial port, IR port,I/Oport, RS-485 Serial port
VESA Mount	75x75mm
Speaker	2x2W
Power Input	12V/2A
Color	Black/White/Customized Color
Product Size (LxWxH)	166.67x225.53x13.6mm / 243.07x159.67x13.6mm 363.25x225.99x13.6mm



WL SERIES



Screen Size	8"/10.1"/13.3"/15.6"/17.3"
Panel Type	LCD panel
Resolution	1280*800/1920*1080
Interactive Touch	5/10-point Capacitive touch
Brightness	250 cd/m2
Aspect Ratio	16:10/16:9
Camera	2MP Routine angle(WL8027T),5MP Routine angle
Chipset	RK 3128 Quad core cortex A7/RK3288 Quad core cortex A17 RK3566/RK3568 Quad core cortex A55 RK3399 Dual-core A72+quad-core A53(10.1"/13.3"/15.6"/17.3")
System Memory / Flash Memory	1GB/ 2GB Optional 4GB 16GB Optional 32GB/64GB
OS	RK3128 Android 6.0, RK3288 Android 8.1/10 RK3566/RK3568 Android 11, RK3399 Android 9.0/10/11
Communication	Wi-Fi 802.11 b/g/n/ac(RK3399) Wi-Fi 802.11 b/g/n ,Bluetooth 4.2, NFC/4G LTE(Optional)
Input/Output	DC In,HDMI output(RK3566 Not supported),USB serial port, USB host x2, 3.5mm AudioJack,USB Device,TF card slot,RJ45
Power Input	2x2W/2x1W
Speaker	12V/1.5A, 12V/2A
Color	Black/White/Customized Color
Product Size (LxWxH)	204.3x139.44x103.42mm / 256.5x108.2x185.76mm 329.16x205.96x115.97mm / 389.16x242.9x142.3mm 427.8x268.03x152.95mm

10.1"
LCD panel
1280*800
10-Point capacitive touch
250 cd/m2
16:10
No Camera
RK3128 Quad core cortex A7/RK3288 Quad core cortex A17 RK3399 Dual-core A72+quad-core A53 RK3566/RK3568 Quad core cortex A55 2GB/ Optional 4GB 16GB/ Optional 32GB RK3128 Android 6.0 ,RK3288 Android 8.1/10 RK3399 Android 9.0/10/11, RK3566/RK3568 Android 11 Wi-Fi 802.11b/g/n , Bluetooth 4.2, NFC(Optional)
DC In,HDMI output(RK3566 Not supported),RJ45,USB slave USB serial port, USB host x2,TF Card,3.5mm Audio Jack 2x2W 12V/1.5A Black/White/Customized Color 243.18x162.53x103.26mm

WL SERIES



Screen Size	10.1"/14.1"
Panel Type	LCD panel
Resolution	1280*800 / 1920*1080
Interactive Touch	10-Point capacitive touch
Brightness	250 cd/m2
Aspect Ratio	16:10/16:9
Camera	2MP Routine angle /5MP Routine angle (WL1023T)
Chipset	RK3128 Quad core cortex A7/RK3288 Quad core cortex A17 RK3399 Dual-core A72+quad-core A53 RK3566/RK3568 Quad core cortex A55
System Memory	1GB/2GB Optional 4GB
Flash Memory	16GB/ Optional 32GB
OS	RK3128 Android 6.0 ,RK3288 Android 8.1/10 RK3399 Android 9.0/10/11, RK3566/RK3568 Android 11
Communication	Wi-Fi 802.11b/g/n Bluetooth 4.2, NFC/4G LTE(Optional)
Input/Output	DC In,TF Card,USB host,USB slave,USB for serial,RJ45, 3.5mm Audio Jack,HDMI output (RK3566 Not supported)
Speaker	2x3W
Power Input	12V/1.5A, 12V/2A
Color	Black/White/Customized Color
Product Size (LxWxH)	256.5x113x184.5mm / 349.2x112.26x226.6mm

Screen Size	10.1"
Panel Type	LCD panel
Resolution	1280*800
Interactive Touch	10-Point capacitive touch
Brightness	250 cd/m2
Aspect Ratio	16:10
Camera	5MP Routine angle

Chipset	RK3288 Quad core cortex A17 RK3566/RK3568 Quad core cortex A55
---------	---

System Memory	1GB/2GB Optional 4GB
Flash Memory	16GB/ Optional 32GB/64GB
OS	RK3288 Android 8.1/10 RK3566/RK3568 Android 11
Communication	Wi-Fi 802.11b/g/n Bluetooth 4.2, NFC/RFID


Input/Output	DC In,HDMI output (RK3566 Not supported),RJ45,USB Device, USB serial port,USB host x2 ,TF Card,3.5mm Audio Jack
Speaker	2x3W
Power Input	12V/1.5A
Color	Black/White/Customized Color
Product Size (LxWxH)	256x109.1x180.2mm

DIGITAL SIGNAGE L-Type Interactive Digital Signage

WL SERIES



Screen Size	8"/10.1"
Panel Type	LCD panel
Resolution	800*1280
Interactive Touch	5/10-point Capacitive touch
Brightness	250 cd/m2
Aspect Ratio	10:16
Camera	5MP Routine angle, 2MP Routine angle (WL8017T)
Chipset	RK3128 Quad core cortex A7 / RK3288 Quad core cortex A17 RK3399 Dual-core A72+quad-core A53 RK3566/RK3568 Quad core cortex A55
System Memory	1GB/ 2GB Optional 4GB
Flash Memory	16GB Optional 32GB/64GB
OS	RK3128 Android 6.0 / RK3288 Android 8.1/10 RK3399 Android 9.0/10/11 / RK3566/RK3568 Android 11
Communication	Wi-Fi 802.11b/g/n Bluetooth 4.2, NFC(Optional)
Input/Output	DC In,Type-C,TF Card,USB host,USB serial port, RJ45,3.5mm Audio Jack
Speaker	2x2W
Power Input	12V/1.5A
Color	Black/White/Customized Color
Product Size (LxWxH)	132x211.8x104.03mm / 160.2x255.5x114.03mm



WT SERIES



Screen Size	8"/10.1"
Panel Type	LCD panel
Resolution	1280*800
Interactive Touch	5-Point capacitive
Brightness	250 cd/m2
Aspect Ratio	16:10
Chipset	RK3128 Quad core cortex A7/ RK3288 Quad core cortex A17 RK3399,Dual-core A72+quad-core A53 RK3566/RK3568 Quad core cortex A55
System Memory	1GB(RK3128) / 2GB, Optional 4GB
Flash Memory	16GB/ Optional 32GB/64GB
OS	RK3128 Android 6.0 ,RK3288 Android 8.1/10 RK3399 Android 9.0/10/11 ,RK3566/RK3568 Android 11
Communication	Wi-Fi 802.11 b/g/n , Bluetooth 4.2
Input/Output	DC In,RJ45,Serial port,USB host, 3.5mm AudioJack, TFcard slot,Type-C
Speaker	2x2W
Power Input	12V/1.5A
Color	Black/White/Customized Color
Product Size (LxWxH)	196.1x54.97x129.37mm / 236.1x63.3x156.8mm



DIGITAL SIGNAGE

Desktop Type Interactive Digital Signage

WD SERIES



Screen Size	10.1"HD
Panel Type	LCD panel*2
Resolution	1280*800
Interactive Touch	10-Point capacitive
Brightness	250 cd/m2
Aspect Ratio	16:10
Camera	5MP Routine angle
Chipset	RK3288 Quad core cortex A17 RK3568 Quad core cortex A55
System Memory	2GB, Optional 4GB
Flash Memory	16GB/ Optional 32GB/64GB
OS	RK3288 Android 8.1/10,RK3568 Android 11
Communication	WiFi 802.11b/g/n, Bluetooth 5.2
Input/Output	DC In,RJ45,TF Card,Type-C,USB serial,USB host, 3.5mm earphone,Power jack
Speaker	2x3W
Power Input	12V/2A
Color	Black/White/Customized Color
Product Size (LxWxH)	239.3x131.97x162.9mm

