
# Panel PC FT-P15A



- Powered by 12th-generation Intel<sup>®</sup> Core<sup>™</sup> i5-1235U/i7-1255U Processors,
   equipped with Windows 11 operating system
- 15.6- inch flat capacitive touch panel with high impact resistance
- Wi-Fi 6, Bluetooth 5.1, and expandable 4G (M.2 interface), multiple network connection mode
- Excellent environmental adaptability, anti-electromagnetic interference and anti-static capabilities
- Fanless design, using large-area uniform heating fin, running 24/7 without affecting reliability and service life
- Rich interfaces, including multiple USB/LAN/D89/HDMI and other I/O ports, can easily meet various scenario requirements
- Standard PPC mounting hook component, easy to install and supports various installation methods such as embedded and wall-mounted





i5-1235U/i7-1255U Processors



Windows 11
Operating System



15.6 inch screen



220cd/m<sup>2</sup> Brightness



1920\*1080 Screen resolution



WiFi6

Running 24/7 without affecting reliability



without Rich interface ability extensions



storage expansion



IP65

# Panel PC FT-P15A

# Specifications



#### CPU

12th Generation Intel® Core™ i5-1235U Processor (Optional i7-1255U)



### **Specifical** Operating System

Windows 11



#### Memory

RAM: 8GB onboard ROM: 128GB (Optional 256/512GB)



## Display

Type: LCD Size: 15.6 inch 16:9 Resolution: 1920x1080 Brightness: 220 cd/m²





#### **Dimension/Weight**

388.63 x 248.43 x 54.95 mm 2.4kg



#### Internet

Optional 4G/WIFI6/BT5.1



# **Certification**

Front panel IP65



## Rugged Features

Working temperature: -20 °C to 60 °C Storage temperature: -30 °C to 70 °C Humidity: 95% Non-Condensing



AC100V ~ 240V、50Hz/60Hz output DC 19V/3.42A



Type-A USB USB3.0\*4 Power interface DC 19V \*1 Standard Earphone Jack \*1 RJ45 \*2 DB9 PORT RS232 \*2 HDMI \*1 M2 \*1 M.2 2280 standard interface (Support SATAIII/PCIE3.0X4 signal)





<sup>\*</sup> The technical specifications of this product are subject to change without prior notice